

| U-CyTech B.V.<br>Yalelaan 48<br>3584 CM Utrecht<br>The Netherlands<br>+31 85 073 1460<br>info@ucytech.com<br>www.ucytech.com | Data sheet     | Monoclonal antibody to human tumor necrosis factor alpha<br>(TNF-α)  |
|--|----------------|--|
|  | Cat. No.       | СТ260  |
|  | Clone          | 61E71  |
|  | lsotype        | Mouse IgG1   |
|  | Immunogen      | Recombinant human TNF-α  |
|  | Production     | In vitro using serum free medium   |
|  | Purification   | Ion exchange chromatography  |
|  | Packaging      | Lyophilized and vacuum-packed  |
|  | Contents       | 0.5 mg/vial  |
|  | Buffer         | Prior to lyophilization: 0.5 ml PBS + 125 mM trehalose.  |
|  | Specificity    | Neutralizes both natural and recombinant human TNF- $\alpha$ <i>in vitro</i> and <i>in vivo</i> . The antibody does not bind to rodent TNF- $\alpha$ .   |
|  | Sterility      | Membrane filtered (0.2 µm)   |
|  | Reconstitution | Dissolve the contents of the vial by injection of 0.5 ml sterile distilled water.  |
|  | Stability      | Lyophilized product is stable for at least one year at $4^{\circ}C$ (expiry date is indicated<br>on the vial). After reconstitution, the contents can be safely stored at $4^{\circ}C$ for one<br>month or for one year at $-20^{\circ}C$ .<br>Add 0.02% sodium azide to prevent bacterial growth. |
|  | Quantitation   | Antibody concentration was determined by absorbance, taking A280=1.4 for a 1 mg/ml solution.   |
|  | Application    | Immunohistochemical analysis<br>Neutralization assay<br>Western blot analysis  |

References can be found in the Reference Database at <u>www.ucytech.com/references</u>.



## For research use only